



TOCHEUNGLEE STATIONERY MGF.CO.PVT.LTD

ToCheungLee Stationery Mfg.Co.Pvt Ltd
Tiruvallur - Sriperumbathur road,
Pollivakam, Tamil Nadu, India.
Pin code - 602002





RING BINDER MECHANISM




Pull Open Type

2 Rings



AD



DD



PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0123 02 13DD 17	123.0	80.0	114.3	13.0	20.0	16.4	22.0	17
P0123 02 16DD 17	123.0	80.0	114.3	17.0	23.0	19.4	26.5	17
P0123 02 16DD 20	123.0	80.0	114.3	16.5	23.5	19.1	27.0	20
P0123 02 20DD 17	123.0	80.0	114.3	20.0	27.0	22.6	30.5	17
P0123 02 20DD 20	123.0	80.0	114.3	20.0	27.0	22.6	30.5	20
P0123 02 25DD 17	123.0	80.0	114.3	25.0	29.5	25.1	36.0	17

Measurement unit = mm



Pull Open Type

2 Rings




PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0123 02 25DD 20	123.0	80.0	114.3	25.0	29.5	25.1	36.0	20
P0123 02 30DD 20	123.0	80.0	114.3	28.0	30.0	25.6	39.5	20
P0123 02 30DD 26	124.0	80.0	114.0	30.0	35.0	30.0	42.5	26
P0123 02 35DD 26	124.0	80.0	114.0	33.0	36.0	31.0	44.5	26
P0123 02 36DD 26	124.0	80.0	114.0	36.0	39.0	34.0	47.0	26
P0123 02 38DD 26	124.0	80.0	114.0	39.0	39.5	34.5	51.5	26
P0123 02 40DD 26	124.0	80.0	114.0	40.0	40.0	35.0	52.5	26
P0123 02 45DD 26	124.0	80.0	114.0	45.0	44.0	38.0	58.0	26
P0123 02 49DD 26	124.0	80.0	114.0	48.5	44.0	38.0	62.0	26
P0123 02 50DD 26	124.0	80.0	114.0	52.0	42.5	36.5	65.5	26

Measurement unit = mm



Pull Open Type

2 Rings





PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0123 02 52DD 26	124.0	80.0	114.0	53.0	44.0	38.0	67.0	26
P0136 02 60DD 36	133.0	80.0	124.0	58.0	55.5	47.7	75.5	36
P0136 02 65DD 36	133.0	80.0	124.0	65.0	61.0	53.2	82.0	36
P0153 02 20DD 20	152.0	108.0	142.9	20.0	27.0	22.6	30.5	20
P0153 02 25DD 20	152.0	108.0	142.9	25.0	29.5	25.1	36.0	20

Measurement unit = mm




Pull Open Type

2 Rings



DD



QS



PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0123 02 18QS 20	123.0	80.0	114.3	18.0	24.5	20.1	27.5	20
P0123 02 20QS 20	123.0	80.0	114.3	20.0	24.5	20.1	31.5	20
P0123 02 25QS 20	123.0	80.0	114.3	25.0	25.0	20.6	36.0	20
P0123 02 30QS 20	123.0	80.0	114.3	30.0	25.5	21.1	40.0	20
P0123 02 30QS 26	124.0	80.0	114.0	30.0	30.5	25.5	42.5	26
P0123 02 35QS 26	124.0	80.0	114.0	35.0	30.5	25.5	47.5	26
P0123 02 40QS 26	124.0	80.0	114.0	41.0	31.5	26.5	54.0	26
P0123 02 45QS 26	124.0	80.0	114.0	43.0	33.0	27.0	56.0	26
P0123 02 50QS 26	124.0	80.0	114.0	50.0	34.0	28.0	64.0	26

Measurement unit = mm



Pull Open Type

2 Rings



QS



PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0123 02 52QS 26	124.0	80.0	114.0	53.0	32.5	26.5	67.0	26
P0136 02 51QS 36	133.0	80.0	124.0	54.0	40.0	32.2	69.0	36
P0136 02 65QS 36	133.0	80.0	124.0	65.0	43.0	35.2	82.0	36
P0136 02 80QS 36	133.0	80.0	124.0	80.0	39.5	31.7	97.0	36

Measurement unit = mm




Pull Open Type

2 Rings



QS



RS



PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0120 02 13RS 15	120.0	80.0	112.0	9.0	17.5	13.9	19.0	15
P0120 02 16RS 15	120.0	80.0	112.0	13.0	20.5	16.3	21.5	15
P0123 02 13RS 17	123.0	80.0	114.3	8.0	17.0	13.4	18.0	17
P0123 02 16RS 17	123.0	80.0	114.3	13.0	19.5	15.9	23.0	17
P0123 02 16RS 20	123.0	80.0	114.3	11.5	19.5	15.9	20.0	20
P0123 02 19RS 17	123.0	80.0	114.3	15.0	22.5	18.9	25.0	17

Measurement unit = mm



Pull Open Type

2 Rings



RS



PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0123 02 19RS 20	123.0	80.0	114.3	14.0	22.5	18.9	23.0	20
P0123 02 23RS 20	123.0	80.0	114.3	18.5	28.0	23.6	29.5	20
P0123 02 25RS 17	123.0	80.0	114.3	20.0	29.5	25.3	30.5	17
P0123 02 25RS 20	123.0	80.0	114.3	21.0	29.5	25.3	30.5	20
P0123 02 30RS 17	123.0	80.0	114.3	25.0	34.5	30.1	36.5	17
P0123 02 30RS 20	123.0	80.0	114.3	25.0	34.5	30.1	36.5	20
P0123 02 30RS 26	124.0	80.0	114.0	25.0	35.0	30.0	36.0	26
P0123 02 35RS 20	123.0	80.0	114.3	30.0	38.5	34.1	41.0	20
P0123 02 35RS 26	124.0	80.0	114.0	30.0	40.0	34.8	41.5	26
P0123 02 38RS 20	123.0	80.0	114.3	35.0	43.0	38.6	45.5	20
P0123 02 38RS 26	124.0	80.0	114.0	33.0	44.0	38.8	46.0	26
P0123 02 45RS 26	124.0	80.0	114.0	40.0	51.0	45.0	52.5	26
P0123 02 50RS 26	124.0	80.0	114.0	44.0	55.5	49.5	58.0	26

Measurement unit = mm



Pull Open Type



2 Rings



PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0153 02 25RS 20	152.0	108.0	142.9	21.0	30.5	26.1	30.5	20
P0153 02 30RS 20	152.0	108.0	142.9	25.0	34.5	30.1	36.5	20



3 Rings



DD

PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0263 03 16DD 20	262.0	108.0 x 108.0	253.0	16.5	23.5	19.1	27.0	20
P0263 03 20DD 20	262.0	108.0 x 108.0	253.0	20.0	27.0	22.6	30.5	20
P0263 03 25DD 20	262.0	108.0 x 108.0	253.0	25.0	29.5	25.1	36.0	20
P0263 03 30DD 20	262.0	108.0 x 108.0	253.0	28.0	30.0	25.6	39.5	20



Measurement unit = mm





Pull Open Type

3 Rings



QS



PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0263 03 20QS 20	262.0	108.0 x 108.0	253.0	20.0	24.5	20.1	31.5	20
P0263 03 25QS 20	262.0	108.0 x 108.0	253.0	25.0	25.0	20.6	36.0	20

Measurement unit = mm



Pull Open Type

3 Rings



RS




PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0263 03 19RS 20	262.0	108.0 x 108.0	253.0	14.0	22.5	18.9	23.0	20
P0263 03 25RS 20	262.0	108.0 x 108.0	253.0	21.0	29.5	25.3	30.5	20
P0263 03 30RS 20	262.0	108.0 x 108.0	253.0	25.0	34.5	30.1	36.5	20

Measurement unit = mm



Pull Open Type

4 Rings





PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0153 04 20DD 20	152.0	21.0 x 70.0 x 21.0	142.9	20.0	27.0	22.6	30.5	20
P0153 04 25DD 20	152.0	21.0 x 70.0 x 21.0	142.9	25.0	29.5	25.1	36.0	20

Measurement unit = mm



Pull Open Type

4 Rings



DD



PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0210 04 16DD 20	210.0	45.0 x 65.0 x 45.0	200.0	16.5	23.5	19.1	27.0	20
P0210 04 20DD 20	210.0	45.0 x 65.0 x 45.0	200.0	20.0	27.0	22.6	30.5	20
P0210 04 25DD 20	210.0	45.0 x 65.0 x 45.0	200.0	25.0	29.5	25.1	36.0	20
P0210 04 30DD 20	210.0	45.0 x 65.0 x 45.0	200.0	28.0	30.0	25.6	39.5	20

Measurement unit = mm



Pull Open Type

4 Rings





PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0278 04 13DD 15	278.0	80.0 x 80.0 x 80.0	270.0	13.5	19.5	15.9	23.0	15

Measurement unit = mm



Pull Open Type

4 Rings





PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0282 04 13DD 17	282.0	80.0 x 80.0 x 80.0	272.5	13.0	20.0	16.4	22.0	17
P0282 04 16DD 17	282.0	80.0 x 80.0 x 80.0	272.5	17.0	23.0	19.4	26.5	17
P0282 04 20DD 17	282.0	80.0 x 80.0 x 80.0	272.5	20.0	27.0	22.6	30.5	17
P0282 04 25DD 17	282.0	80.0 x 80.0 x 80.0	272.5	25.0	29.5	25.1	36.0	17
P0287 04 16DD 20	286.0	80.0 x 80.0 x 80.0	277.0	16.5	23.5	19.1	27.0	20
P0287 04 20DD 20	286.0	80.0 x 80.0 x 80.0	277.0	20.0	27.0	22.6	30.5	20
P0287 04 25DD 20	286.0	80.0 x 80.0 x 80.0	277.0	25.0	29.5	25.1	36.0	20
P0287 04 30DD 20	286.0	80.0 x 80.0 x 80.0	277.0	28.0	30.0	25.6	39.5	20

Measurement unit = mm



Pull Open Type

4 Rings





PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0287 04 30DD 26	286.0	80.0 x 80.0 x 80.0	277.0	30.0	35.0	30.0	42.5	26
P0287 04 35DD 26	286.0	80.0 x 80.0 x 80.0	277.0	33.0	36.0	31.0	44.5	26
P0287 04 36DD 26	286.0	80.0 x 80.0 x 80.0	277.0	36.0	39.0	34.0	47.0	26
P0287 04 38DD 26	286.0	80.0 x 80.0 x 80.0	277.0	39.0	39.5	34.5	51.5	26
P0287 04 40DD 26	286.0	80.0 x 80.0 x 80.0	277.0	40.0	40.0	35.0	52.5	26
P0287 04 45DD 26	286.0	80.0 x 80.0 x 80.0	277.0	45.0	44.0	38.0	58.0	26
P0287 04 49DD 26	286.0	80.0 x 80.0 x 80.0	138.5 + 138.5	48.5	44.0	38.0	62.0	26
P0287 04 50DD 26	286.0	80.0 x 80.0 x 80.0	277.0	52.0	42.5	36.5	65.5	26
P0287 04 52DD 26	286.0	80.0 x 80.0 x 80.0	277.0	53.0	44.0	38.0	67.0	26

Measurement unit = mm



Pull Open Type

4 Rings



QS




PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0287 04 20QS 20	286.0	80.0 x 80.0 x 80.0	277.0	20.0	24.5	20.1	31.5	20
P0287 04 25QS 20	286.0	80.0 x 80.0 x 80.0	277.0	25.0	25.0	20.6	36.0	20
P0287 04 30QS 26	286.0	80.0 x 80.0 x 80.0	277.0	30.0	30.5	25.5	42.5	26
P0287 04 35QS 26	286.0	80.0 x 80.0 x 80.0	277.0	35.0	30.5	25.5	47.5	26
P0287 04 40QS 26	286.0	80.0 x 80.0 x 80.0	277.0	41.0	31.5	26.5	54.0	26
P0287 04 45QS 26	286.0	80.0 x 80.0 x 80.0	277.0	43.0	33.0	27.0	56.0	26
P0287 04 50QS 26	286.0	80.0 x 80.0 x 80.0	277.0	50.0	34.0	28.0	64.0	26
P0287 04 52QS 26	286.0	80.0 x 80.0 x 80.0	138.5 + 138.5	53.0	32.5	26.5	67.0	26

Measurement unit = mm



Pull Open Type

4 Rings





PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0300 04 51QS 36	299.0	80.0 x 80.0 x 80.0	145.0 + 145.0	54.0	40.0	32.2	69.0	36
P0300 04 65QS 36	299.0	80.0 x 80.0 x 80.0	290.0	65.0	43.0	35.2	82.0	36
P0300 04 80QS 36	299.0	80.0 x 80.0 x 80.0	145.0 + 145.0	80.0	39.5	31.7	97.0	36
P0153 04 16RS 20	152.0	21.0 x 70.0 x 21.0	142.9	11.5	19.5	15.9	20.5	20
P0153 04 19RS 20	152.0	21.0 x 70.0 x 21.0	142.9	14.0	22.5	18.9	23.0	20
P0153 04 23RS 20	152.0	21.0 x 70.0 x 21.0	142.9	18.5	28.0	23.8	29.5	20
P0153 04 25RS 20	152.0	21.0 x 70.0 x 21.0	142.9	21.0	29.5	25.3	30.5	20
P0153 04 30RS 20	152.0	21.0 x 70.0 x 21.0	142.9	25.0	34.5	30.1	36.5	20

Measurement unit = mm



Pull Open Type

4 Rings



RS



PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0210 04 16RS 20	210.0	45.0 x 65.0 x 45.0	200.0	11.5	20.5	16.1	20.5	20
P0210 04 19RS 20	210.0	45.0 x 65.0 x 45.0	200.0	14.0	22.5	18.9	23.0	20
P0210 04 25RS 20	210.0	45.0 x 65.0 x 45.0	200.0	21.0	29.5	25.3	30.5	20
P0210 04 30RS 20	210.0	45.0 x 65.0 x 45.0	200.0	25.0	34.5	30.1	36.5	20

Measurement unit = mm



Pull Open Type

4 Rings





PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0278 04 13RS 15	278.0	80.0 x 80.0 x 80.0	270.0	9.0	17.5	13.9	19.0	15
P0278 04 16RS 15	278.0	80.0 x 80.0 x 80.0	270.0	13.0	20.5	16.3	21.5	15
P0282 04 13RS 17	282.0	80.0 x 80.0 x 80.0	272.5	8.0	17.0	13.4	18.0	17
P0282 04 16RS 17	282.0	80.0 x 80.0 x 80.0	272.5	13.0	19.5	15.9	23.0	17
P0282 04 19RS 17	282.0	80.0 x 80.0 x 80.0	272.5	15.0	22.5	18.9	25.0	17
P0282 04 25RS 17	282.0	80.0 x 80.0 x 80.0	272.5	20.0	29.5	25.3	30.5	17
P0282 04 30RS 17	282.0	80.0 x 80.0 x 80.0	272.5	25.0	34.5	30.1	36.5	17
P0287 04 16RS 20	286.0	80.0 x 80.0 x 80.0	277.0	11.5	19.5	15.9	20.5	20
P0287 04 19RS 20	286.0	80.0 x 80.0 x 80.0	277.0	14.0	22.5	18.9	23.0	20
P0287 04 25RS 20	286.0	80.0 x 80.0 x 80.0	277.0	21.0	29.5	25.3	30.5	20

Measurement unit = mm



Pull Open Type

4 Rings



RS



PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0287 04 30RS 20	286.0	80.0 x 80.0 x 80.0	277.0	25.0	34.5	30.1	36.5	20
P0287 04 30RS 26	286.0	80.0 x 80.0 x 80.0	277.0	25.0	34.5	29.7	36.0	26
P0287 04 32RS 26	286.0	80.0 x 80.0 x 80.0	277.0	27.0	37.0	32.2	38.0	26
P0287 04 35RS 20	286.0	80.0 x 80.0 x 80.0	277.0	30.0	38.5	34.1	41.0	20
P0287 04 35RS 26	286.0	80.0 x 80.0 x 80.0	277.0	30.0	40.0	34.8	41.5	26
P0287 04 38RS 26	286.0	80.0 x 80.0 x 80.0	277.0	33.0	44.0	38.8	46.0	26
P0287 04 45RS 26	286.0	80.0 x 80.0 x 80.0	277.0	40.0	51.0	45.0	52.5	26

Measurement unit = mm




Pull Open Type





4 Rings



DD



RS






PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0278 04 16RS 15	278.0	80.0 x 80.0 x 80.0	270.0	13.0	20.5	16.3	21.5	15
P0282 04 13RS 17	282.0	80.0 x 80.0 x 80.0	272.5	8.0	17.0	13.4	18.0	17
P0282 04 16RS 17	282.0	80.0 x 80.0 x 80.0	272.5	13.0	19.5	15.9	23.0	17
P0282 04 30RS 17	282.0	80.0 x 80.0 x 80.0	272.5	25.0	34.5	30.1	36.5	17
P0287 04 19RS 20	286.0	80.0 x 80.0 x 80.0	277.0	14.0	22.5	18.9	23.0	20
P0287 04 25RS 20	286.0	80.0 x 80.0 x 80.0	277.0	21.0	29.5	25.3	30.5	20
P0287 04 30RS 20	286.0	80.0 x 80.0 x 80.0	277.0	25.0	34.5	30.1	36.5	20

Measurement unit = mm



Data Mechanism

4 Rings



PRODUCT CODE	OL	SP	RC	C	O	I	H	B
P0210 04 25QS 20	210.0	50.8 x 63.5 x 50.8	200.0	25.0	25.0	20.6	36.0	20

Measurement unit = mm